



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



**Product Approval**  
 USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL17236-R10						
Application Type	Revision						
Code Version	2023						
Application Status	Approved						
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.						
Comments							
Archived	<input type="checkbox"/>						
Product Manufacturer	MiTek Inc.						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (800) 328-5934 bpr@mii.com						
Authorized Signature	Erin Walden bpr@mii.com						
Technical Representative	Erin M. Walden						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com						
Quality Assurance Representative	Erin M. Walden						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com						
Category	Structural Components						
Subcategory	Wood Connectors						
Compliance Method	Evaluation Report from a Product Evaluation Entity						
Evaluation Entity	ICC Evaluation Service, LLC						
Quality Assurance Entity	ICC-ES Evaluation Service, LLC						
Quality Assurance Contract Expiration Date	10/31/2026						
Validated By	ICC Evaluation Service, LLC.						
Certificate of Independence	<a href="#">FL17236_R10_COI_ICC-ES Certification of Independence for Evaluation 2024 (1).pdf</a>						
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><b>Standard</b></th> <th><b>Year</b></th> </tr> </thead> <tbody> <tr> <td>ANSI/AWC NDS</td> <td>2018</td> </tr> <tr> <td>ASTM D7147</td> <td>2011</td> </tr> </tbody> </table>	<b>Standard</b>	<b>Year</b>	ANSI/AWC NDS	2018	ASTM D7147	2011
<b>Standard</b>	<b>Year</b>						
ANSI/AWC NDS	2018						
ASTM D7147	2011						
Equivalence of Product Standards Certified By							
Sections from the Code							

Product Approval Method

Method 1 Option C

Date Submitted

10/24/2024

Date Validated

10/24/2024

Date Pending FBC Approval

Date Approved

10/26/2024

**Summary of Products**

FL #	Model, Number or Name	Description
17236.1	BN264, BN284	BN Breakfast Nook Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.2	DSC4L/R, LDSC4L/R	DSC/LDSC Drag Strut Connector
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.3	FTC1, FTC1F, FTC2, FTC2F	FTC Floor Truss Clip
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.4	FTC32	FTC Floor Truss Clip
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.5	GT2T2B, GT2T2BH, GT2T3B, GT2T4B, GT2T6B, GT2T6BH, GT2T8B, GT3T3B, GT3T3BH, GT3T4B, GT3T4BH, GT3T6B, GT3T6BH, GT3T8B, GT3T8BH, GT4T4B, GT4T4BH, GT4T6B, GT4T6BH, GT4T8B, GT5T8BH	GT Girder Truss Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.6	HCPRS	HCPRS Hurricane/Seismic Anchor
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.7	HGA10	HGA Hurricane Gusset Angle
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes		<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC

	<b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.8	HHCP2	HHCP Hurricane/Seismic Anchor
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.9	HHCP4	HHCP Hurricane/Seismic Anchor
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.10	HJC26, HJC28	HJC Hip/Jack Connector
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.11	RT3A, RT4, RT5, RT6, RT7, RT7A,RT7AT, RT10, RT15	RT Hurricane Tie
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.12	RT8A, RT16-2, RT16A, RT16AR, RT20	RT Hurricane Tie
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.13	SBP4, SBP6	SBP Supplementary Bearing Plate
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.14	STC24, STC26, STC28	STC Scissor Truss Clip
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>
17236.15	TSP	TSP Stud Plate Tie
	<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17236_R10_II_ESR-3448_Oct_2024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17236_R10_AE_ESR-3448_Oct_2024.pdf</a>

[Back](#)[Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

**Product Approval Accepts:**

