



DBPR HOME ABOUT DBPR DBPR DIVISIONS CONTACT DBPR

BCIS Home | Log In | User Registration | Hot Topics | Submit Surcharge | Stats & Facts | Publications | Contact Us | BCIS Site Map | Links | Search



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL17239-R10						
Application Type	Revision						
Code Version	2023						
Application Status	Approved						
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.						
Comments							
Archived	<input type="checkbox"/>						
Product Manufacturer	MiTek Inc.						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (800) 328-5934 bpr@mii.com						
Authorized Signature	Erin Walden bpr@mii.com						
Technical Representative	Erin M. Walden						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com						
Quality Assurance Representative	Erin M. Walden						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com						
Category	Structural Components						
Subcategory	Wood Connectors						
Compliance Method	Evaluation Report from a Product Evaluation Entity						
Evaluation Entity	ICC Evaluation Service, LLC						
Quality Assurance Entity	ICC-ES Evaluation Service, LLC						
Quality Assurance Contract Expiration Date	10/31/2025						
Validated By	ICC Evaluation Service, LLC.						
Certificate of Independence	FL17239_R10_COI_ICC-ES Certification of Independence for Evaluation 2024 (1).pdf						
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ANSI/AWC NDS</td> <td>2018</td> </tr> <tr> <td>ASTM D7147</td> <td>2011</td> </tr> </tbody> </table>	Standard	Year	ANSI/AWC NDS	2018	ASTM D7147	2011
Standard	Year						
ANSI/AWC NDS	2018						
ASTM D7147	2011						
Equivalence of Product Standards Certified By							
Sections from the Code							

Product Approval Method Method 1 Option C

Date Submitted 10/24/2024

Date Validated 10/24/2024

Date Pending FBC Approval

Date Approved 10/26/2024

Summary of Products

FL #	Model, Number or Name	Description
17239.1	C44, C44R, C46, C46R, C66, C66R, C88, C88R	Post Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.2	D44-TZ, D44R, D46, D46R-TZ, D66, D66R, D88, D88R	Post Anchor
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.3	EPCM4416, EPCM4516, EPCM4616, EPCM4716, EPCM4816, EPCM5416, EPCM5516, EPCM6416, EPCM6616, EPCM6816, EPCM8416, EPCM8616, EPCM8816, EPCM44, EPCM46, EPCM48, EPCM64, EPCM66, EPCM68, EPCM75, EPCM77, EPCM84, EPCM86, EPCM88	Post Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.4	KCC325-4, KCC325-6, KCC44, KCC45, KCC46, KCC47, KCC48, KCC525-4, KCC525-6, KCC525-8, KCC57, KCC64, KCC66, KCC68, KCC74, KCC75X, KCC76, KCC77, KCC77X, KCC78, KCC84, KCC86, KCC88, KCC94, KCC96, KCC98, KCC106	Column Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.5	KCCQ325-4, KCCQ325-6, KCCQ44, KCCQ45, KCCQ46, KCCQ47, KCCQ47X, KCCQ48, KCCQ525-4, KCCQ525-6, KCCQ525-8, KCCQ57, KCCQ64, KCCQ66, KCCQ67X, KCCQ68	Column Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf

17239.6	KCCQ71-4, KCCQ71-6, KCCQ71-71, KCCQ71-8, KCCQ74, KCCQ76, KCCQ77, KCCQ78, KCCQ84, KCCQ86, KCCQ88, KCCQ94, KCCQ96, KCCQ98, KCCQ106	Column Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.7	KECC325-4, KECC325-6, KECC44, KECC45, KECC46, KECC47, KECC48, KECC525-4, KECC525-6, KECC525-8, KECC57, KECC64, KECC66, KECC68, KECC74, KECC75X, KECC76, KECC77, KECC77X, KECC78, KECC84, KECC86, KECC88, KECC94, KECC96, KECC98, KECC106	Column Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.8	KECCQ325-4, KECCQ325-6, KECCQ44, KECCQ45, KECCQ46, KECCQ47, KECCQ47X, KECCQ48, KECCQ525-4, KECCQ525-6, KECCQ525-8, KECCQ57, KECCQ64, KECCQ66, KECCQ67X, KECCQ68, KECCQ71-4, KECCQ71-6, KECCQ71-71, KECCQ71-8, KECCQ74, KECCQ76, KECCQ77, KECCQ78	Column Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.9	KECCQ84, KECCQ86, KECCQ88, KECCQ94, KECCQ96, KECCQ98, KECCQ106	Column Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.10	PA44, PA44R, PA46, PA46R, PA66, PA66R	Post Anchor
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.11	PA44E, PA46E, PA66E, PA66ER-TZ	Post Anchor
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.12	PAF44, PAF46, PAF66	Post Anchor
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC

Impact Resistant: N/A Design Pressure: N/A Other:		Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.13	PAU44, PAU46, PAU66, PAU66R, PAU88, PAU88R, PAU1010, PAU1010R, PAU1212, PAU1212R	Post Anchor
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.14	PB44-6, PB66-6	Post Cap
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.15	PBC44, PBC66	Post Beam Corner
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.16	PBS44, PBS44R, PBS66, PBS66R, PBES44, PBES66	Post Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf
17239.17	PCM4416, PCM4516, PCM4616, PCM4716, PCM4816, PCM5416, PCM5516, PCM6416, PCM6616, PCM6816, PCM8416, PCM8616, PCM8816, PCM44, PCM46, PCM48, PCM64, PCM66, PCM68, PCM75, PCM77, PCM84, PCM86, PCM88	Post Cap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17239_R10_II_ESR-3449_Oct_2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17239_R10_AE_ESR-3449_Oct_2024.pdf

[Back](#) [Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

