MITEK USP		Steel									IIIStaliation		Δ (111)	
Stock No.	Ref. No.	Gauge	W	L	D	CL	Qty	Type ^{3,4,5}	Qty	Type ^{6,8}	Type ¹	160%	at 160% ²	160%
ADTT-TZ	DTT1Z	14	1-9/16	10-1/2	15/16	3/8	1	3/8" HDG Lag Screw	10	10d x 1-1/2	Contracted	820	0.070	820
											Extended	850	0.117	810
									10	LL915	Contracted	820	0.121	780
											Extended	790	0.114	780
							1	WS8-EXT	10	10d x 1-1/2	Contracted	830	0.080	780
											Extended	835	0.113	780
									10	LL915	Contracted	830	0.121	780
											Extended	790	0.114	780
ADTT-TZKT ⁷	DTT1Z-KT	14	1-9/16	10-1/2	15/16	3/8	1	WS8-EXT	10	LL915	Contracted	830	0.121	780
											Extended	790	0.114	780
1) Allowable lo	ads are for t	he ADTT	-TZ insta	lled tight	to the b	ottom	of the	joist (Contrac	ted) o	r 4-inches fror	n bottom of joi	st to ADT	T-TZ bend lir	ne (Extended).

Wall

Fastener Schedule

Joist

Installation

DF/SP

Allowable

Tension (Lbs.)

S-P-F

Allowable

Tension (Lbs.)

3) WS8-EXT is a 1/4" dia. x 8" long double barrier coated screw sold by MiTek and must be ordered seperately if not purchasing the kit. The minimum thread

4) 3/8" HDG Lag Screw is an ASTM A307 Grade A lag screw with a thread diameter of 3/8" and is hot-dip galvanized to ASTM A153 standards. The minimum thread penetration into the top plate of the wall framing is 3-inches. Lag screws are available at your local hardware store and must be purchased seperately.

2) Deflections are derived from static, monotonic load tests of devices connected to DF wood members with specified fasteners.

6) LL915 denotes a LumberLok Screw (#9 x 1-3/8" long) sold by MiTek and must be ordered seperately if not purchasing the kit. 7) ADTT-TZKT is a kit with (4) ADTT-TZ packaged with MiTek's WS8-EXT structural wood screws and LL915 LumberLok screws.

5) Check with your siding manufacturer for recommendations for fastening through your siding material.

Dimensions (in)

penetration into the top plate of the wall framing is 3-inches.

8) **NAILS:** 10d x 1-1/2 nails are 0.148" dia. x 1-1/2" long.