

BPH series

Special Order Worksheet

Enter dimensions only if different from those shown in catalog.

Date Ordered: _____

Customer: _____ Part #: _____

P.O. #: _____ Quantity: _____ Ship Date: _____

Actual Header Size: _____ Actual Joist Size: _____

Example: nominal 2x4 = 1.5" x 3.5" actual size, 6 x 10 rough = 6" x 10" actual size

Specialty Options	Circle One	Angle	Type of Connection	Ordering Designation Suffix
Sloped Seat (45° Max.)	Up or Down	_____	Fig. 1	Example: <i>_SL30D</i>
Skewed (50° Max.)	Left or Right	_____	Fig. 2, 3 & 4	Example: <i>_SK45R_BV</i> or <i>_SK45R_SQ</i>
	Cut Type A = Beveled (BV) Cut Type B = Square (SQ)		Fig. 2	
Joist Flush with Header at Default to low side flush unless specified	Low Side Center High Side	Caution: A joist with both slope and skew will project above the header when the height is measured from the low side.	Fig. 3 & 5	Example: <i>_SK45R_SQ_SL30D</i>
Sloped Top Flange (45° Max.)	Left or Right	_____	Fig. 4 & 5	Example: <i>_SLTF30L</i>
Catalog Load OK?	Yes or No	If <i>NO</i> , load required: _____		
Notes				
Internal Use Only				

Signature: _____

Figure 1 Sloped seat, down shown




Figure 2




Figure 3 Skewed right, sloped down, low side flush shown




Figure 4 Skewed right, sloped down, top flange sloped




Figure 5 Sloped top flange, right shown





Figure 6 Joist Flush Options



MiTek Structural Connectors has designed this product based on specifications submitted by customer. If actual conditions are different than those submitted, MiTek shall not assume liability for loads or installation issues. MiTek recommends a design professional verify suitability of connector to meet the design requirements as submitted.

Phone: 1-800-328-5934 • Fax: 1-952-898-8605 • Email: customerservice@mii.com