

Option	Skewed ^{1,3}	Sloped Seat ²	Sloped / Skewed ^{1,2,3}	Inverted Flange ^{4,5}
Range	1° to 45°	1° to 45°	See Sloped Seat and Skewed	One flange option available on all sizes. Two flange option available on widths ≥ 6-9/16"
Allowable Loads	100% of table allowable load. 75% of table uplift load.	100% of table allowable load	100% of table allowable load. 75% of table uplift load.	100% of table value. May not be installed into the support members endgrain.
Ordering	Add <i>SK</i> , angle required, right (<i>R</i>) or left (<i>L</i>), and square cut (<i>SQ</i>) or bevel cut (<i>BV</i>) to product number. Ex. THDHQ410_SK45R_BV	Add <i>SL</i> , slope required, and up (<i>U</i>) or down (<i>D</i>), to product number. Ex. THDHQ410_SL30D	See Sloped Seat and Skewed. Ex. THDHQ410_SK45R_BV_SL30D	<u>One flange option:</u> Add <i>IF</i> , and right (<i>R</i>) or left (<i>L</i>), to product number. Ex. THDHQ410_IFR <u>Two flange option:</u> Add <i>IF</i> , to product number. Ex. THDHQ26-3_IF

- 1) Skewed THDHQ hangers with skews greater than 15° always have all joist fasteners on one side of the outside flange.
- 2) Sloped or sloped / skewed hangers with slopes greater than 15° may have additional joist fasteners.
- 3) Skewed hangers typically require a bevel cut however, a square cut option may be available as a custom when requested.
Some square cut hangers will require custom pricing due to welded back plate.
- 4) The inverted flange option is not available on skewed THDHQ hangers.
- 5) THDHQ26-3 is available with both flanges inverted.