



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL17232-R8	
Application Type	Revision	
Code Version	2020	
Application Status	Approved	
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	MiTek Inc.	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (800) 328-5934 ewalden@mii.com	
Authorized Signature	Erin Walden ewalden@mii.com	
Technical Representative	Erin M. Walden	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com	
Quality Assurance Representative	Erin M. Walden	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com	
Category	Structural Components	
Subcategory	Wood Connectors	
Compliance Method	Evaluation Report from a Product Evaluation Entity	
Evaluation Entity	ICC Evaluation Service, LLC	
Quality Assurance Entity	ICC-ES Evaluation Service, LLC	
Quality Assurance Contract Expiration Date	10/31/2024	
Validated By	ICC Evaluation Service, LLC.	
Certificate of Independence	FL17232_R8_COI_Certification of Independence for Evaluation.pdf	
Referenced Standard and Year (of Standard)	Standard	Year
	ANSI/AWC NDS	2018
	ASTM D7147	2011
Equivalence of Product Standards Certified By		
Sections from the Code		

Product Approval Method

Method 1 Option C

Date Submitted

12/15/2022

Date Validated

12/15/2022

Date Pending FBC Approval

Date Approved

12/18/2022

Summary of Products

Go to Page





FL #	Model, Number or Name	Description
17232.1	CLPBF	Butterfly Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.2	HD26, HD24-2, HD34, HD44	Face Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.3	HD28, HD210, HD212, HD214, HD216, HD26-2, HD28-2, HD210-2, HD212-2, HD214-2, HD216-2, HD26-3, HD28-3, HD210-3, HD212-3, HD214-3, HD216-3, HD28-4, HD210-4, HD36, HD38, HD310, HD312, HD314, HD316, HD38-2, HD310-2, HD312-2, HD46, HD48	Face Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.4	HD410, HD412, HD414, HD416, HD418, HD66, HD68, HD610, HD612, HD614, HD616, HD86, HD88, HD810, HD812, HD814, HD816, HD1770, HD17925, HD17112, HD1714, HD27925, HD27112, HD2714, HD32105, HD3212, HD5112, HD51135	Face Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.5	HD5210, HD5212, HD5214, HD5216, HD62117, Hd71117, HD7100, HD7120, HD7140, HD7160, HD7180, HD77117, HD83117, HD95117	Face Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.6	HUS26, HUS28, HUS210, HUS175, HUS177, HUS179, HUS24-2, HUS26-2, HUS28-2, HUS210-2, HUS212-2, HUS46, HUS48, HUS410, HUS412	Slant Nail Joist Hanger

Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.7	IHF15925, IHF15112, IHF1514, IHF16925, IHF16112, IHF1614, IHF17925, IHF17112, IHF1714, IHF1716, IHF20925, IHF20112, IHF2014, IHF23925, IHF23112, IHF2314, IHF2316, IHF2318, IHF25925, IHF25112, IHF2514, IHF2516, IHF26925, IHF26112, IHF2614, IHF2616	Joist Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.8	IHF15925-2, IHF15112-2, IHF16925-2, IHF16112-2, IHF35925, IHF35112, IHF3514, IHF3516, IHF3518, IHF20925-2, IHF20112-2, IHF2014-2, IHF23925-2, IHF25925-2, IHF25112-2	Joist Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.9	IHFL15925, IHFL15112, IHFL17925, IHFL17112, IHFL1714, IHFL1716, IHFL20925, IHFL20112, IHFL2014, IHFL2016, IHFL23925, IHFL23112, IHFL2314, IHFL2316, IHFL25925, IHFL25112, IHFL2514, IHFL2516, IHFL35925, IHFL35112, IHFL3514, IHFL3516	Joist Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.10	JL24, JL26	Standard Joist Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.11	JL28, JL210	Standard Joist Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.12	JN26-2, JN28-2, JN26E, JN28E, JN210E	Power Nail Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.13	JUS24, JUS24-2, JUS24-3, JUS44	Slant Nail Joist Hanger

Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.14	JUS26, JUS28, JUS210, JUS36, JUS38, JUS310, JUS26-2, JUS28-2, JUS210-2, JUS214-2, JUS46, JUS48, JUS410, JUS412, JUS414, JUS26-3, JUS28-3, JUS210-3, JUS212-3, JUS214-3	Slant Nail Joist Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.15	LGU325, LGU363, LGU525, MGU363, MGU525, MGU550, MGU562, MGU700, HGU363, HGU525, HGU550, HGU562, HGU700, HGU725, HGU900	Girder Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.16	SUH24, SUH24R, SUH34, SUH24-2, SUH44, SUH44R, SUH26-3	Joist Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.17	SUH26, SUH28, SUH210, SUH214, SUH1710, SUH1714, SUH26R, SUR28R, SUH210R, SUH214R, SUH2310, SUH2314, SUH36, SUH310, SUH314, SUH2610, SUH2614, SUH26-2, SUH28-2, SUH210-2, SUH214-2	Joist Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.18	SUH46, SUH48, SUH410, SUH414, SUH46R, SUH410R, SUH28-3, SUH210-3, SUH2310-2, SUH2314-2, SUH310-2, SUH66, SUH610, SUH66R, SUH610R	Joist Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.19	THD26, THD28, THD210, THD175, THD177, THD179, THD26-2, THD28-2, THD210-2, THD210-3, THD210-4, THD46, THD48, THD410, THD412, THD414, THD610, THD612, THD614, THD7210	Face Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party:

Design Pressure: N/A Other:		Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf
17232.20	THDH26, THDH28, THDH210, THDH27925, THDH27112, THDH2714, THDH26-2, THDH28-2, THDH210-2, THDH212-2, THDH214-2, THDH3210, THDH3212, THDH46, THDH48, THDH410, THDH412, THDH414	Face Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17232_R8_II_ESR-3445_Oct2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R8_AE_ESR-3445_Oct2022.pdf

Go to Page 

 Page 1 / 2

[Back](#) [Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

