
Business & Professional Regulation



BCIS Home | Log In | User Registration | Hot Topics | Submit Surcharge | Stats & Facts | Publications | Contact Us | BCIS Site Map | Links |





<u>Product Approval Menu > Product or Application Search > Application List > Application Detail</u>

FL41719-R1 **Application Type** Revision 2020 Code Version **Application Status** Approved

*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by

the POC and/or the Commission if necessary.

Comments

Archived

Product Manufacturer MiTek Inc.

Address/Phone/Email 16023 Swingley Ridge Road

Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com

Authorized Signature Erin Walden

ewalden@mii.com

Technical Representative Erin M. Walden

Address/Phone/Email 16023 Swingley Ridge Road Chesterfield, MO 63017

(952) 898-8635 ewalden@mii.com

Quality Assurance Representative Erin M. Walden

Address/Phone/Email 16023 Swingley Ridge Road

Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com

Structural Components Category Wood Connectors Subcategory

Compliance Method Evaluation Report from a Product Evaluation Entity

Evaluation Entity ICC Evaluation Service, LLC ICC-ES Evaluation Service, LLC Quality Assurance Entity

Quality Assurance Contract Expiration Date 10/31/2023

Validated By ICC Evaluation Service, LLC.

Certificate of Independence FL41719 R1 COI ICC-ES Certification of Independence.pdf

Referenced Standard and Year (of Standard) **Standard** <u>Year</u> ANSI/AWC NDS 2018 **ASTM D7147** 2011

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method 1 Option C

Date Submitted 12/14/2022
Date Validated 12/14/2022

Date Pending FBC Approval

Date Approved 12/18/2022

Summary of Products

FL #	Model, Number or Name	Description
41719.1	FWH28-FWH212, FWH1795- FWH1716, FWH2095-FWH2016, FWH2395-FWH2320, FWH2595- FWH2520, FWH3595-FWH3524	Top Mount Fire Wall Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL41719 R1 II ESR-4464 Dec2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL41719 R1 AE ESR-4464 Dec2022.pdf
41719.2	FWHBP35118-FWHBP3524, FWHBP52118-FWHBP5224, FWHBP71118-FWHBP7124	Top Mount Fire Wall Hangers for Beams and Purlins
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL41719 R1 II ESR-4464 Dec2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL41719 R1 AE ESR-4464 Dec2022.pdf
41719.3	FWHFM35925-FWHFM3524, FWHFM42925-FWHFM4224, FWHFM52925-FWHFM5224, FWHFM71118-FWHFM7124	Top Mount Fire Wall Hangers for Face Mount Applications
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL41719 R1 II ESR-4464 Dec2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL41719 R1 AE ESR-4464 Dec2022.pdf
41719.4	FWHH3595-FWHH3524, FWHH52925-FWHH5224, FWHH55925-FWHH5524, FWHH71118-FWHH7124	Top Mount Heavy-Duty Fire Wall Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL41719 R1 II ESR-4464 Dec2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL41719 R1 AE ESR-4464 Dec2022.pdf
41719.5	FWHL26, FWHL28, FWHL210, FWHL212, FWHL1795, FWHL17118, FWHL20118, FWHL23118, FWHL25118	Top Mount Light-Duty Fire Wall Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL41719 R1 II ESR-4464 Dec2022.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL41719 R1 AE ESR-4464 Dec2022.pdf



Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click <a href="https://personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/html/personable.com/

Product Approval Accepts:







