

MiTek Stock No.	Ref. No.	Steel Gauge	Post Size	Joist Size	Fastener Schedule ¹				DF/SP Allowable Loads (Lbs.) ^{2,3}			
					Post		Joist (Total)		Download 100%	Uplift 100%	F1 100%	F2 100%
					Qty	Type	Qty	Type				
TTA12-TZ	RTA12Z	18	1x	1x	4	LC915-MG	4	LC915-MG	--	205	190	205
TTA2-TZ	RTA2Z	16	2x	2x	4	LC915-MG	4	LC915-MG	--	185	255	185
TTU2-TZ	RTU2	18	2x	2x	2	LC915-MG	4	LC915-MG	--	--	210	210
TTR-TZ	RTRZ	20	2x	2x	2	LC915-MG	4	LC915-MG	210	210	210	155
TTF22-TZ	RTF2Z	18	2 x 4	2x	4	LC915-MG	8	LC915-MG	420	265	--	--
TTC42-TZ	RTC42, RTC42Z	18	4 x 4	2x	14	LC915-MG	8	LC915-MG	735	420	--	--

1) LC915-MG denotes a MiTek LumberLok Connector Screw (#9 x 1-3/8" long) and must be ordered separately.

2) TTF22-TZ: Allowable loads must be equally distributed on both joists.

3) TTC42-TZ: Allowable loads listed in this table are for each joist being carried by the post.