

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > **Application Detail**

OFFICE OF THE
SECRETARY

| FL # | FL17232-R7 | | | | | | |
|---|---|-----------------|-------------|--------------|------|------------|------|
| Application Type | Revision | | | | | | |
| Code Version | 2020 | | | | | | |
| Application Status | Approved | | | | | | |
| | *Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary. | | | | | | |
| Comments | | | | | | | |
| Archived | <input type="checkbox"/> | | | | | | |
| Product Manufacturer | MiTek Inc. | | | | | | |
| Address/Phone/Email | 16023 Swingley Ridge Road Chesterfield, MO 63017 (800) 328-5934 ewalden@mii.com | | | | | | |
| Authorized Signature | Erin Walden ewalden@mii.com | | | | | | |
| Technical Representative | Erin M. Walden | | | | | | |
| Address/Phone/Email | 16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com | | | | | | |
| Quality Assurance Representative | Erin M. Walden | | | | | | |
| Address/Phone/Email | 16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com | | | | | | |
| Category | Structural Components | | | | | | |
| Subcategory | Wood Connectors | | | | | | |
| Compliance Method | Evaluation Report from a Product Evaluation Entity | | | | | | |
| Evaluation Entity | ICC Evaluation Service, LLC | | | | | | |
| Quality Assurance Entity | ICC Evaluation Service | | | | | | |
| Quality Assurance Contract Expiration Date | 10/31/2022 | | | | | | |
| Validated By | ICC Evaluation Service, LLC. | | | | | | |
| Certificate of Independence | FL17232_R7_COI_Certification of Independence for Evaluation.pdf | | | | | | |
| Referenced Standard and Year (of Standard) | <table> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ANSI/AWC NDS</td> <td>2018</td> </tr> <tr> <td>ASTM D7147</td> <td>2011</td> </tr> </tbody> </table> | Standard | Year | ANSI/AWC NDS | 2018 | ASTM D7147 | 2011 |
| Standard | Year | | | | | | |
| ANSI/AWC NDS | 2018 | | | | | | |
| ASTM D7147 | 2011 | | | | | | |
| Equivalence of Product Standards Certified By | | | | | | | |
| Sections from the Code | | | | | | | |

Product Approval Method

Method 1 Option C

Date Submitted

12/02/2020

Date Validated

12/08/2020

Date Pending FBC Approval

Date Approved

12/12/2020

Summary of Products

Go to Page



Page 1 / 2




| FL # | Model, Number or Name | Description |
|---|---|--|
| 17232.1 | CLPBF | Butterfly Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |
| 17232.2 | HD26, HD24-2, HD34, HD44 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |
| 17232.3 | HD28, HD210, HD212, HD214, HD216, HD26-2, HD28-2, HD210-2, HD212-2, HD214-2, HD216-2, HD26-3, HD28-3, HD210-3, HD212-3, HD214-3, HD216-3, HD28-4, HD210-4, HD36, HD38, HD310, HD312, HD314, HD316, HD38-2, HD310-2, HD312-2, HD46, HD48 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |
| 17232.4 | HD410, HD412, HD414, HD416, HD418, HD66, HD68, HD610, HD612, HD614, HD616, HD86, HD88, HD810, HD812, HD814, HD816, HD1770, HD17925, HD17112, HD1714, HD27925, HD27112, HD2714, HD32105, HD3212, HD5112, HD51135 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |
| 17232.5 | HD5210, HD5212, HD5214, HD5216, HD62117, HD71117, HD7100, HD7120, HD7140, HD7160, HD7180, HD77117, HD83117, HD95117 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |
| 17232.6 | HUS26, HUS28, HUS210, HUS175, HUS177, HUS179, HUS24-2, HUS26-2, HUS28-2, HUS210-2, HUS212-2, HUS46, HUS48, HUS410, HUS412 | Slant Nail Joist Hanger |

| | | |
|---|--|--|
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.7 | IHF15925, IHF15112, IHF1514, IHF16925, IHF16112, IHF1614, IHF17925, IHF17112, IHF1714, IHF1716, IHF20925, IHF20112, IHF2014, IHF23925, IHF23112, IHF2314, IHF2316, IHF2318, IHF25925, IHF25112, IHF2514, IHF2516, IHF26925, IHF26112, IHF2614, IHF2616 | Joist Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.8 | IHF15925-2, IHF15112-2, IHF16925-2, IHF16112-2, IHF35925, IHF35112, IHF3514, IHF3516, IHF3518, IHF20925-2, IHF20112-2, IHF2014-2, IHF23925-2, IHF25925-2, IHF25112-2 | Joist Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.9 | IHFL15925, IHFL15112, IHFL17925, IHFL17112, IHFL1714, IHFL1716, IHFL20925, IHFL20112, IHFL2014, IHFL2016, IHFL23925, IHFL23112, IHFL2314, IHFL2316, IHFL25925, IHFL25112, IHFL2514, IHFL2516, IHFL35925, IHFL35112, IHFL3514, IHFL3516 | Joist Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.10 | JL24, JL26 | Standard Joist Hangers |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.11 | JL28, JL210 | Standard Joist Hangers |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.12 | JN26-2, JN28-2, JN26E, JN28E, JN210E | Power Nail Hangers |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.13 | JUS24, JUS24-2, JUS24-3, JUS44 | Slant Nail Joist Hanger |

| | | |
|---|---|--|
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.14 | JUS26, JUS28, JUS210, JUS36, JUS38, JUS310, JUS26-2, JUS28-2, JUS210-2, JUS214-2, JUS46, JUS48, JUS410, JUS412, JUS414, JUS26-3, JUS28-3, JUS210-3, JUS212-3, JUS214-3 | Slant Nail Joist Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.15 | LGU325, LGU363, LGU525, MGU363, MGU525, MGU550, MGU562, MGU700, HGU363, HGU525, HGU550, HGU562, HGU700, HGU725, HGU900 | Girder Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.16 | SUH24, SUH24R, SUH34, SUH24-2, SUH44, SUH44R, SUH26-3 | Joist Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.17 | SUH26, SUH28, SUH210, SUH214, SUH1710, SUH1714, SUH26R, SUR28R, SUH210R, SUH214R, SUH2310, SUH2314, SUH36, SUH310, SUH314, SUH2610, SUH2614, SUH26-2, SUH28-2, SUH210-2, SUH214-2 | Joist Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.18 | SUH46, SUH48, SUH410, SUH414, SUH46R, SUH410R, SUH28-3, SUH210-3, SUH2310-2, SUH2314-2, SUH310-2, SUH66, SUH610, SUH66R, SUH610R | Joist Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |
| 17232.19 | THD26, THD28, THD210, THD175, THD177, THD179, THD26-2, THD28-2, THD210-2, THD210-3, THD210-4, THD46, THD48, THD410, THD412, THD414, THD610, THD612, THD614, THD7210 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232 R7 II ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232 R7 AE ESR-3445 Oct2020.pdf |

| | | |
|---|---|--|
| 17232.20 | THDH26, THDH28, THDH210, THDH27925, THDH27112, THDH2714, THDH26-2, THDH28-2, THDH210-2, THDH212-2, THDH214-2, THDH3210, THDH3212, THDH46, THDH48, THDH410, THDH412, THDH414 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |

Go to Page 

 Page 1 / 2

[Back](#) [Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275 (1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Product Approval Method

Method 1 Option C

Date Submitted

12/02/2020

Date Validated

12/08/2020

Date Pending FBC Approval

Date Approved

12/12/2020

Summary of Products

Go to Page 

| FL # | Model, Number or Name | Description |
|---|--|--|
| 17232.21 | THDH26-3,THDH28-3, THDH210-3, THDH212-3,THDH214-3, THDH5210, THDH5212, THDH5214, THDH610, THDH612, THDH614, THDH26-4, THDH28-4, THDH6710, THDH6712, THDH6714, THDH7210, THDH7212, THDH7214 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445 Oct2020.pdf |
| 17232.22 | THDHQ26-2, THDHQ26-3, THDHQ26-4, THDHQ28-2, THDHQ28-3, THDHQ28-4, THDHQ210-2, THDHQ210-3, THDHQ210-4, THDHQ46, THDHQ48, THDHQ410 | Girder Truss Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445 Oct2020.pdf |
| 17232.23 | THF15925, THF15112, THF15140, THF16925,THF16112, THF16140, THF17925, THF17112, THF17140, THF20925, THF20112, THF20140, THF17157, THF20157,THF23925, THF23100, THF23118, THF23140, THF23160, THF25925, THF25112, THF25120, THF25130, THF25140, THF25160 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445 Oct2020.pdf |
| 17232.24 | THF15925-2, THF15112-2, THF15140-2, THF16925-2, THF16112-2, THF16140-2,THF17157-2, THF20925-2, THF20112-2, THF20140-2,THF23180, THF23925-2, THF23118-2, THF23140-2, THF23160-2, THF25925-2, THF25112-2, THF25140-2, THF25160-2,THF35165 | Face Mount Hanger |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | | Installation Instructions FL17232_R7_II_ESR-3445 Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445 Oct2020.pdf |
| 17232.25 | THF26925, THF26112, THF26140, THF26160, THF35925, THF35112, THF35140, THF35157 | Face Mount Hanger |

| | |
|--|--|
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |
| 17232.26 | THFI1795, THFI17118, THFI1714, THFI1716, THFI2095, THFI20118, THFI2014, THFI2016, THFI2395, THFI23118, THFI2314, THFI2316, THFI25925, THFI2595, THFI25118, THFI2514, THFI2516, THFI3595, THFI35118, THFI3514, THFI3516 Fact Mount Hanger |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: | Installation Instructions FL17232_R7_II_ESR-3445_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17232_R7_AE_ESR-3445_Oct2020.pdf |

Go to Page 

[Back](#) [Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

