



### Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE  
SECRETARY

FL # FL17240-R5  
Application Type Revision  
Code Version 2023  
Application Status Approved

\*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.

#### Comments

Archived

Product Manufacturer  
Address/Phone/Email

MiTek Inc.  
16023 Swingley Ridge Road  
Chesterfield, MO 63017  
(800) 328-5934  
ewalden@mii.com

Authorized Signature

Erin Walden  
ewalden@mii.com

Technical Representative  
Address/Phone/Email

Erin M. Walden  
16023 Swingley Ridge Road  
Chesterfield, MO 63017  
(952) 898-8635  
ewalden@mii.com

Quality Assurance Representative

Erin M. Walden

Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com	
Category	Structural Components	
Subcategory	Wood Connectors	
Compliance Method	Evaluation Report from a Product Evaluation Entity	
Evaluation Entity	ICC Evaluation Service, LLC	
Quality Assurance Entity	ICC-ES Evaluation Service, LLC	
Quality Assurance Contract Expiration Date	10/31/2024	
Validated By	ICC Evaluation Service, LLC.	
Certificate of Independence	<a href="#">FL17240_R5_COI_Certification_of_Independence_for_Evaluation.pdf</a>	
Referenced Standard and Year (of Standard)	<b><u>Standard</u></b>	<b><u>Year</u></b>
	ANSI/AWC NDS	2018
	ASTM D7147	2011
Equivalence of Product Standards Certified By		
Sections from the Code		
Product Approval Method	Method 1 Option C	
Date Submitted	12/13/2023	
Date Validated	12/14/2023	
Date Pending FBC Approval		
Date Approved	12/16/2023	

**Summary of Products**

<b>FL #</b>	<b>Model, Number or Name</b>	<b>Description</b>
17240.1	BT3, BT4, BT45, BT5, BT6	BT Brick Tie
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17240_R5_II_ESR-3447_exp_1024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17240_R5_AE_ESR-3447_exp_1024.pdf</a>
17240.2	KGH46-6, KGH46-8, KGH48-6, KGH48-8, KGH66-6, KGH66-8, KGH68-6, KGH68-8	KGH Floor Girder Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17240_R5_II_ESR-3447_exp_1024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17240_R5_AE_ESR-3447_exp_1024.pdf</a>
17240.3	LUGT2, LUGTC2	LUGT and LUGTC Girder Tiedowns
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17240_R5_II_ESR-3447_exp_1024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17240_R5_AE_ESR-3447_exp_1024.pdf</a>
17240.4	MPH20925-2020, MPH23925-2330, MPH25925-2526, MPH26925-2620, MPH27925-2720, MPH35925-3520, MPH52925-5220, MPH55925-5520, MPH15925-2 to 1514-2, MPH17925-2 to 1716-2, MPH20925-2 to 2020-2, MPH23925-2 to 2320-2, MPH25925-2 to 2520-2, MPH35925-2 to 3520-2	MPH Masonry Hangers
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes		<b>Installation Instructions</b> <a href="#">FL17240_R5_II_ESR-3447_exp_1024.pdf</a> Verified By: ICC Evaluation Service, LLC

<b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17240 R5 AE ESR-3447 exp 1024.pdf</a>
17240.5	MPH210 to 216, MPH210-2 to 216-2, MPH310 to 316, MPH410 to 416, MPH610 to 616, MPH810 to 816, MPH325, MPH525, MPH687, MPH15925-1514, MPH16925 -1614, MPH17925-1716	MPH Masonry Hangers
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17240 R5 II ESR-3447 exp 1024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17240 R5 AE ESR-3447 exp 1024.pdf</a>
17240.6	MUGT15	MUGT15 Truss Anchor
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17240 R5 II ESR-3447 exp 1024.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17240 R5 AE ESR-3447 exp 1024.pdf</a>

[Back](#)

[Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

**Product Approval Accepts:**



Credit Card  
**Safe**

securityMETRICS®