

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > **Application Detail**

OFFICE OF THE
SECRETARY

FL #	FL17241-R5						
Application Type	Revision						
Code Version	2020						
Application Status	Approved						
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.						
Comments							
Archived	<input type="checkbox"/>						
Product Manufacturer	MiTek Inc.						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (800) 328-5934 ewalden@mii.com						
Authorized Signature	Erin Walden ewalden@mii.com						
Technical Representative	Erin M. Walden						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com						
Quality Assurance Representative	Erin M. Walden						
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com						
Category	Structural Components						
Subcategory	Wood Connectors						
Compliance Method	Evaluation Report from a Product Evaluation Entity						
Evaluation Entity	ICC Evaluation Service, LLC						
Quality Assurance Entity	ICC-ES Evaluation Service, LLC						
Quality Assurance Contract Expiration Date	10/31/2022						
Validated By	ICC Evaluation Service, LLC.						
Certificate of Independence	FL17241_R5_COI_Certification of Independence for Evaluation.pdf						
Referenced Standard and Year (of Standard)	<table> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ANSI/AWC NDS</td> <td>2018</td> </tr> <tr> <td>ASTM D7147</td> <td>2011</td> </tr> </tbody> </table>	Standard	Year	ANSI/AWC NDS	2018	ASTM D7147	2011
Standard	Year						
ANSI/AWC NDS	2018						
ASTM D7147	2011						
Equivalence of Product Standards Certified By							
Sections from the Code							

Product Approval Method

Method 1 Option C

Date Submitted

12/02/2020

Date Validated

12/03/2020

Date Pending FBC Approval

Date Approved

12/10/2020

Summary of ProductsGo to Page 

Page 1 / 2

FL #	Model, Number or Name	Description
17241.1	BPH15925-BPH1514, BPH17925-BPH1716, BPH27925, BPH2795, BPH27112-BPH2716, BPH31925-BPH3114	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.2	BPH35925 - BPH35118, BPH3512-BPH3532, BPH52925, BPH5295-BPH5218, BPH5595, BPH55118-BPH5518, BPH71925 - BPH7195, BPH7110, BPH71112-BPH7124	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.3	FWH28, FWH210, FWH212, FWH1795, FWH17118, FWH1714, FWH1716, FWH2095, FWH20118, FWH2014, FWH2016, FWH2395, FWH23118, FWH2314, FWH2316, FWH2318, FWH2320, FWH2595, FWH25118, FWH2514, FWH2516, FWH2518, FWH2520, FWH3595, FWH35118, FWH3514, FWH3516, FWH3518	Top Mount Firewall Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.4	FWH3520, FWH3522, FWH3524	Top Mount Firewall Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.5	HBPH35925, HBPH3595, HBPH35112, HBPH35118, HBPH3512, HBPH3514, HBPH3516, HBPH3518, HBPH3520, HBPH3522, HBPH3524, HBPH3526, HBPH3528, HBPH3530, HBPH5116, HBPH5118, HBPH5120, HBPH5122, HBPH5124, HBPH5126, HBPH128, HBPH5130, HBPH55725, HBPH55925, HBPH5595	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf

17241.6	HBPH55112, HBPH55118, HBPH5512, HBPB5514, HBPH5516, HBPH5518, HBPH5520, HBPH71925, HBPH7195, HBPH71112, HBPH71118, HBPH7114, HBPH7116, HBPH7118, HBPH7120, HBPH7122, HBPH7124, HBPH7126, HBPH7128	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.7	HDO24, HDO34, HDO24-2, HDO44	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.8	HDO26, HDO28, HDO210, HDO212, HDO214, HDO216, HDO36, HDO38, HDO310, HDO312, HDO314, HDO316, HDO26-2, HDO28-2, HDO210-2, HDO212-2, HDO214-2, HDO216-2, HDO46, HDO48	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.9	HDO410, HDO412, HDO414, HDO416, HDO210-3, HDO212-3, HDO214-3, HDO216-3, HDO66, HDO68, HDO610, HDO612, HDO614, HDO616	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.10	HL26, HL28, HL210, HL212, HL214	Light Gage Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.11	HLBH-27xxx, HLBH-35xxx, HLBH-52xxx, HLBH-55xxx, HLBH-71xxx	Beam Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.12	JH20, JH30	Joist Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.13	JPF24, JPF26	Pulin Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf

17241.14	KEGQ3, KEGQ5, KEGQ7	Top Mount Glulam Girder Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.15	KF44	Panel Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.16	KF46	Panel Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.17	KGLS35, KGLST35, KGLS37, KGLST37, KGLS39, KGLST39, KGLS55, KGLST55, KGLS57, KGLST57, KGLS77, KGLST77, KGLS79, KGLST79, KHGLS5, KHGLST5, KHGLS7, KHGLST7, KHGLS9, KHGLST9,	Glulam Saddle Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.18	KGLT3, KGLT4, KGLT5, KGLT6, KGLT7, KGLT9, KHGLT3, KHGLT4, KHGLT5, KHGLT6, KHGLT7, KHGLT9, KHGLT11	Glulam Beam Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.19	KHC55, KHC56, KHC57, KHC59, KHC75, KHC76, KHC77, KHC79, KHC95, KHC96, KHC97, KHC99, KHC115, KHC116, KHC117, KHC119, KHCST2, KHCST3, KHCST4, KHCSTR2, KHCSTR3, KHCSTR4	KHC Hinge Connector and KHCST / KHCSTR Seismic Straps
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.20	KHHB3, KHHB5, KHHB7, KGB3, KGB5, KGB7, KHGB5, KHGB7	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf

Product Approval Method

Method 1 Option C

Date Submitted

12/02/2020

Date Validated

12/03/2020

Date Pending FBC Approval

Date Approved

12/10/2020

Summary of Products

Go to Page 

FL #	Model, Number or Name	Description
17241.21	KLB26, KLB28, KLB210, KLB212, KB38, KB310, KB312, KB314, KB316, KB48, KB410, KB412, KB414, KB416, KB610, KB612, KB614, KB616	Top Mount Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.22	KLEG3, KLEG5, KLEG7, KMEG5, KMEG7, KEG5, KEG7, KEG9, KEG11	Glulam Beam Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.23	MSH218-2, MSH222-2, MSH422IF, MSH2322-2, MSH2622-2	Strap Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.24	MSH29, MSH213, MSH218, MSH222, MSH179, MSH1713, MSH1718, MSH1722, MSH2022, MSH2318, MSH2322, MSH318, MSH322, MSH413, MSH418, MSH422, MSH424, MSH422-2, MSH422-2IF, MSH426, MSH426IF, MSH426-2	Strap Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.25	PHG24, PHG26, PHG34, PHG36, PHG24-2, PHG26-2	Panel Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.26	PHM17xxx, PHM23xxx, PHM25xxx, PHM35xxx, PHM23xxx-2, PHM25xxx-2, PHM35xxx-2, PHM42xxx, PHM55xxx, PHM27xxx, PHM35xxx, PHM52xxx	Top Flange Hanger
Limits of Use Approved for use in HVHZ: No		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf

Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.27	PHXU17xxx, PHXU23xxx, PHXU25xxx, PHXU26xxx, PHXU27xxx, PHXU31xxx, PHXU35xxx, PHXU23xxx-2, PHXU25xxx-2, PHXU52xxx, PHXU55xxx, PHXU71xxx	Beam and Purlin Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.28	SW26, SW28, SW210, SW212, SW214, SW216, SW36, SW38, SW310, SW46, SW48, SW410, SWH26-2, SWH28-2, SWH210-2, SWH212-2, SWH214-2, SWH216-2, SWH312, SWH314, SWH316, SWH410, SWH412, SWH414, SWH416, SWH66, SWH68	Top Mount Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.29	SWH610, KHW46, KHW48, KHW410, KHW412, KHW414, KHW416, KHW66, KHW68, KHW610, KHW612, KHW614, KHW616, KHW86, KHW88, KHW810, KHW812, KHW814, KHW816, KHW26, KHW3, KHW5	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.30	TFI314, TFI3514, TFI3516, TFI3518, TFI3520, TFI316, TFI318, TFI320, TFI322, TFI324, TFI326, TFI414, TFI416, TFI418, TFI420, TFI422, TFI424, TFI426	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.31	TFL17xxx, TFL20xxx, TFL23xxx, TFL25xxx	Wood I-Joist Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.32	THO15925, THO15950, THO15118, THO15140, THO16950, THO16112, THO16118, THO16140, THO17925, THO17950, THO17118, THO20950, THO20118, THO20140, THO20160	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf

17241.33	THO15950-2, THO17925-2, THO17950-2, THO17118-2, THO20950-2, THO20118-2, THO20140-2, THO20160-2	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.34	THO23140, THO23180, THO23200, THO25950, THO25118, THO25140, THO26925, THO26950	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444_Oct2020.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444_Oct2020.pdf
17241.35	THO23950-2, THO23118-2, THO23140-2, THO23160-2, THO23180-2, THO23200-2, THO25925-2, THO25950-2, THO25112-2, THO25118-2, THO25140-2, THO25160-2, THO25180-2, THO25200-2	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444.pdf
17241.36	THO26118, THO26140, THO26160, THO35925, THO35938, THO35950, THO35112, THO35118, THO35120, THO35130, THO35140, THO35160, THO35180	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R5_II_ESR-3444.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R5_AE_ESR-3444.pdf

Go to Page 

[Back](#) [Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

