



**Product Approval**  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

► OFFICE OF THE  
SECRETARY

FL #	FL17241-R10	
Application Type	Revision	
Code Version	2023	
Application Status	Approved	
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	MiTek Inc.	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (800) 328-5934 bpr@mii.com	
Authorized Signature	Erin Walden bpr@mii.com	
Technical Representative	Erin M. Walden	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com	
Quality Assurance Representative	Erin M. Walden	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com	
Category	Structural Components	
Subcategory	Wood Connectors	
Compliance Method	Evaluation Report from a Product Evaluation Entity	
Evaluation Entity	ICC Evaluation Service, LLC	
Quality Assurance Entity	ICC-ES Evaluation Service, LLC	
Quality Assurance Contract Expiration Date	10/31/2026	
Validated By	ICC Evaluation Service, LLC.	
Certificate of Independence	<a href="#">FL17241_R10_COI_ICC-ES Certification of Independence for Evaluation 2024 (1).pdf</a>	
Referenced Standard and Year (of Standard)	<b>Standard</b>	<b>Year</b>
	ANSI/AWC NDS	2018
	ASTM D7147	2011
Equivalence of Product Standards Certified By		
Sections from the Code		

Product Approval Method

Method 1 Option C

Date Submitted

01/15/2025

Date Validated

01/17/2025

Date Pending FBC Approval

Date Approved

01/20/2025

**Summary of Products**

Go to Page



FL #	Model, Number or Name	Description
17241.1	BPH15925-BPH1514, BPH17925-BPH1716, BPH27925, BPH2795, BPH27112-BPH2716, BPH31925-BPH3114	Beam and Purlin Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444 rev Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444 rev Dec24.pdf</a>
17241.2	BPH35925 - BPH35118, BPH3512-BPH3532, BPH52925, BPH5295-BPH5218, BPH5595, BPH55118-BPH5518, BPH71925 - BPH7195, BPH7110, BPH71112-BPH7124	Beam and Purlin Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444 rev Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444 rev Dec24.pdf</a>
17241.3	BPHA15925-BPHA1514, BPHA17925-BPHA1716, BPHA2095-BPHA2016, BPHA2395-BPHA2318, BPHA25925-BPHA2528, BPHA31925-BPHA3114, BPHA35925-BPHA3532, BPHA2095-2 - BPHA2016-2, BPHA4295-BPHA4216, BPHA2395-2 - BPHA2320-2, BPHA55725-BPHA5526, BPHA71925-BPHA7124	Top Mount Hangers
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b> Approved for use in HVHZ using MAX nailing option only.		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444 rev Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444 rev Dec24.pdf</a>
17241.4	BPHA310, BPHA210-2, BPHA48, BPHA410, BPHA412	Top Mount Hangers
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b> Approved for use in HVHZ using MAX nailing option only.		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444 rev Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444 rev Dec24.pdf</a>
17241.5	HBPH35925, HBPH3595, HBPH35112, HBPH35118, HBPH3512, HBPH3514, HBPH3516, HBPH3518, HBPH3520, HBPH3522, HBPH3524, HBPH3526, HBPH3528, HBPH3530, HBPH5116, HBPH5118, HBPH5120, HBPH5122, HBPH5124, HBPH5126, HBPH5128, HBPH5130,	Beam and Purlin Hanger

	HBPH55725, HPBH55925, HBPH5595	
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.6	HBPH55112, HBPH55118, HBPH5512, HPBH5514, HBPH5516, HBPH5518, HBPH5520, HBPH71925, HBPH7195, HBPH71112, HBPH71118, HBPH7114, HBPH7116, HBPH7118, HBPH7120, HBPH7122, HBPH7124, HBPH7126, HBPH7128	Beam and Purlin Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.7	HDO24, HDO34, HDO24-2, HDO44	Top Mount Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.8	HDO26, HDO28, HDO210, HDO212, HDO214, HDO216, HDO36, HDO38, HDO310, HDO312, HDO314, HDO316, HDO26-2, HDO28-2, HDO210-2, HDO212-2, HDO214-2, HDO216-2, HDO46, HDO48	Top Mount Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.9	HDO410, HDO412, HDO414, HDO416, HDO210-3, HDO212-3, HDO214-3, HDO216-3, HDO66, HDO68, HDO610, HDO612, HDO614, HDO616	Top Mount Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.10	HL26, HL28, HL210, HL212, HL214	Light Gage Purlin Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.11	HLBH-27xxx, HLBH-35xxx, HLBH- 52xxx, HLBH-55xxx, HLBH-71xxx	Beam Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.12	JDS24S	Purlin Hanger

<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.13	JDS26S, JDS24, JDS26, JDS26,175	Purlin Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b> JDS26S & JDS24 must use max nailing in HVHZ		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.14	JH20, JH30	Joist Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.15	JPF24, JPF26	Pulin Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.16	KEGQ3, KEGQ5, KEGQ7	Top Mount Glulam Girder Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.17	KF44	Panel Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.18	KF46	Panel Hanger
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.19	KGLS35, KGLST35, KGLS37, KGLST37, KGLS39, KGLST39, KGLS55, KGLST55, KGLS57, KGLST57, KGLS77, KGLST77, KGLS79, KGLST79, KHGLS5, KHGLST5, KHGLS7, KHGLST7, KHGLS9, KHGLST9,	Glulam Saddle Hangers
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>		<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
17241.20	KGLT3, KGLT4, KGLT5, KGLT6, KGLT7, KGLT9, KHGLT3, KHGLT4, KHGLT5, KHGLT6, KHGLT7, KHGLT9, KHGLT11	Glulam Beam Hangers

<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b>	<b>Installation Instructions</b> <a href="#">FL17241_R10_II_ESR-3444_rev_Dec24.pdf</a> Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL17241_R10_AE_ESR-3444_rev_Dec24.pdf</a>
---	--

Go to Page



Page 1 / 2



[Back](#)

[Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

**Product Approval Accepts:**

