



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE
SECRETARY

FL #	FL17241-R8	
Application Type	Revision	
Code Version	2023	
Application Status	Approved	
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	MiTek Inc.	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (800) 328-5934 ewalden@mii.com	
Authorized Signature	Erin Walden ewalden@mii.com	
Technical Representative	Erin M. Walden	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com	
Quality Assurance Representative	Erin M. Walden	
Address/Phone/Email	16023 Swingley Ridge Road Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com	
Category	Structural Components	
Subcategory	Wood Connectors	
Compliance Method	Evaluation Report from a Product Evaluation Entity	
Evaluation Entity	ICC Evaluation Service, LLC	
Quality Assurance Entity	ICC-ES Evaluation Service, LLC	
Quality Assurance Contract Expiration Date	10/31/2024	
Validated By	ICC Evaluation Service, LLC.	
Certificate of Independence	FL17241_R8_COI_Certification of Independence for Evaluation.pdf	
Referenced Standard and Year (of Standard)	<u>Standard</u> ANSI/AWC NDS ASTM D7147	<u>Year</u> 2018 2011
Equivalence of Product Standards Certified By		
Sections from the Code		

Product Approval Method

Method 1 Option C

Date Submitted

12/13/2023

Date Validated

12/15/2023

Date Pending FBC Approval

Date Approved

12/30/2023

Summary of Products

Go to Page



Page 1 / 2





FL #	Model, Number or Name	Description
17241.1	BPH15925-BPH1514, BPH17925-BPH1716, BPH27925, BPH2795, BPH27112-BPH2716, BPH31925-BPH3114	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.2	BPH35925 - BPH35118, BPH3512-BPH3532, BPH52925, BPH5295-BPH5218, BPH5595, BPH55118-BPH5518, BPH71925 - BPH7195, BPH7110, BPH71112-BPH7124	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.3	BPHA15925-BPHA1514, BPHA17925-BPHA1716, BPHA2095-BPHA2016, BPHA2395-BPHA2318, BPHA25925-BPHA2528, BPHA31925-BPHA3114, BPHA35925-BPHA3532, BPHA2095-2 - BPHA2016-2, BPHA4295-BPHA4216, BPHA2395-2 - BPHA2320-2, BPHA55725-BPHA5526, BPHA71925-BPHA7124	Top Mount Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Approved for use in HVHZ using MAX nailing option only.		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.4	BPHA310, BPHA210-2, BPHA48, BPHA410, BPHA412	Top Mount Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Approved for use in HVHZ using MAX nailing option only.		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.5	HBPH35925, HBPH3595, HBPH35112, HBPH35118, HBPH3512, HBPH3514, HBPH3516, HBPH3518, HBPH3520, HBPH3522, HBPH3524, HBPH3526, HBPH3528, HBPH3530, HBPH5116, HBPH5118, HBPH5120, HBPH5122, HBPH5124, HBPH5126, HBPH5128, HBPH5130,	Beam and Purlin Hanger

	HBPH55725, HBPH55925, HBPH5595	
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.6	HBPH55112, HBPH55118, HBPH5512, HBPH5514, HBPH5516, HBPH5518, HBPH5520, HBPH71925, HBPH7195, HBPH71112, HBPH71118, HBPH7114, HBPH7116, HBPH7118, HBPH7120, HBPH7122, HBPH7124, HBPH7126, HBPH7128	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.7	HDO24, HDO34, HDO24-2, HDO44	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.8	HDO26, HDO28, HDO210, HDO212, HDO214, HDO216, HDO36, HDO38, HDO310, HDO312, HDO314, HDO316, HDO26-2, HDO28-2, HDO210-2, HDO212-2, HDO214-2, HDO216-2, HDO46, HDO48	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.9	HDO410, HDO412, HDO414, HDO416, HDO210-3, HDO212-3, HDO214-3, HDO216-3, HDO66, HDO68, HDO610, HDO612, HDO614, HDO616	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.10	HL26, HL28, HL210, HL212, HL214	Light Gage Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.11	HLBH-27xxx, HLBH-35xxx, HLBH- 52xxx, HLBH-55xxx, HLBH-71xxx	Beam Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.12	JH20, JH30	Joist Hanger

Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.13	JPF24, JPF26	Pulin Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.14	KEGQ3, KEGQ5, KEGQ7	Top Mount Glulam Girder Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.15	KF44	Panel Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.16	KF46	Panel Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.17	KGLS35, KGLST35, KGLS37, KGLST37, KGLS39, KGLST39, KGLS55, KGLST55, KGLS57, KGLST57, KGLS77, KGLST77, KGLS79, KGLST79, KHGLS5, KHGLST5, KHGLS7, KHGLST7, KHGLS9, KHGLST9,	Glulam Saddle Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.18	KGLT3, KGLT4, KGLT5, KGLT6, KGLT7, KGLT9, KHGLT3, KHGLT4, KHGLT5, KHGLT6, KHGLT7, KHGLT9, KHGLT11	Glulam Beam Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.19	KHC55, KHC56, KHC57, KHC59, KHC75, KHC76, KHC77, KHC79, KHC95, KHC96, KHC97, KHC99, KHC115, KHC116, KHC117, KHC119, KHCST2, KHCST3, KHCST4, KHCSTR2, KHCSTR3, KHCSTR4	KHC Hinge Connector and KHCST / KHCSTR Seismic Straps
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party:

Design Pressure: N/A Other:		Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.20	KHHB3, KHHB5, KHHB7, KGB3, KGB5, KGB7, KHGB5, KHGB7	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf

Go to Page 

  Page 1 / 2  

[Back](#)


[Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Product Approval Method

Method 1 Option C

Date Submitted

12/13/2023

Date Validated

12/15/2023

Date Pending FBC Approval

Date Approved

12/30/2023

Summary of Products

Go to Page 2



Page 2 / 2

FL #	Model, Number or Name	Description
17241.21	KLB26, KLB28, KLB210, KLB212, KB38, KB310, KB312, KB314, KB316, KB48, KB410, KB412, KB414, KB416, KB610, KB612, KB614, KB616	Top Mount Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.22	KLEG3, KLEG5, KLEG7, KMEG5, KMEG7, KEG5, KEG7, KEG9, KEG11	Glulam Beam Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.23	MSH218-2, MSH222-2, MSH422IF, MSH2322-2, MSH2622-2	Strap Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.24	MSH29, MSH213, MSH218, MSH222, MSH179, MSH1713, MSH1718, MSH1722, MSH2022, MSH2318, MSH2322, MSH318, MSH322, MSH413, MSH418, MSH422, MSH424, MSH422-2, MSH422-2IF, MSH426, MSH426IF, MSH426-2	Strap Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.25	PHG24, PHG26, PHG34, PHG36, PHG24-2, PHG26-2	Panel Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.26	PHM17xxx, PHM23xxx, PHM25xxx, PHM35xxx, PHM23xxx-2, PHM25xxx-2, PHM35xxx-2, PHM42xxx,	Top Flange Hanger

	PHM55xxx, PHM27xxx, PHM35xxx, PHM52xxx	
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.27	PHXU17xxx, PHXU23xxx, PHXU25xxx, PHXU26xxx, PHXU27xxx, PHXU31xxx, PHXU35xxx, PHXU23xxx-2, PHXU25xxx-2, PHXU52xxx, PHXU55xxx, PHXU71xxx	Beam and Purlin Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.28	SW26, SW28, SW210, SW212, SW214, SW216, SW36, SW38, SW310, SW46, SW48, SW410, SWH26-2, SWH28-2, SWH210-2, SWH212-2, SWH214-2, SWH216-2, SWH312, SWH314, SWH316, SWH410, SWH412, SWH414, SWH416, SWH66, SWH68	Top Mount Hangers
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.29	SWH610, KHW46, KHW48, KHW410, KHW412, KHW414, KHW416, KHW66, KHW68, KHW610, KHW612, KHW614, KHW616, KHW86, KHW88, KHW810, KHW812, KHW814, KHW816, KHW26, KHW3, KHW5	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.30	TFI314, TFI3514, TFI3516, TFI3518, TFI3520, TFI316, TFI318, TFI320, TFI322, TFI324, TFI326, TFI414, TFI416, TFI418, TFI420, TFI422, TFI424, TFI426	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.31	TFL17xxx, TFL20xxx, TFL23xxx, TFL25xxx	Wood I-Joist Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.32	THO15925, THO15950, THO15118, THO15140, THO16950, THO16112, THO16118, THO16140, THO17925, THO17950, THO17118, THO20950, THO20118, THO20140, THO20160	Top Mount Hanger

Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.33	THO15950-2, THO17925-2, THO17950-2, THO17118-2, THO20950-2, THO20118-2, THO20140-2, THO20160-2	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.34	THO23140, THO23180, THO23200, THO25950, THO25118, THO25140, THO26925, THO26950	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.35	THO23950-2, THO23118-2, THO23140-2, THO23160-2, THO23180-2, THO23200-2, THO25925-2, THO25950-2, THO25112-2, THO25118-2, THO25140-2, THO25160-2, THO25180-2, THO25200-2	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf
17241.36	THO26118, THO26140, THO26160, THO35925, THO35938, THO35950, THO35112, THO35118, THO35120, THO35130, THO35140, THO35160, THO35180	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241_R8_II_ESR-3444_exp_1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241_R8_AE_ESR-3444_exp_1024.pdf

Go to Page

2



Page 2 / 2


[Back](#)
[Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



