## **Business & Professional Regulation**



BCIS Home | Log In | User Registration | Hot Topics | Submit Surcharge | Stats & Facts | Publications | Contact Us | BCIS Site Map | Links | Search





Product Approval Menu > Product or Application Search > Application List > Application Detail

FL17244-R6 Application Type Revision Code Version 2023 **Application Status** Approved

\*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by

the POC and/or the Commission if necessary.

Comments

Archived

Product Manufacturer MiTek Inc.

16023 Swingley Ridge Road Address/Phone/Email

Chesterfield, MO 63017 (800) 328-5934 ewalden@mii.com

Authorized Signature Erin Walden

ewalden@mii.com

Technical Representative Erin M. Walden

Address/Phone/Email 16023 Swingley Ridge Road

Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com

Quality Assurance Representative Erin M. Walden

16023 Swingley Ridge Road Address/Phone/Email

Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com

Category Structural Components Subcategory **Wood Connectors** 

Compliance Method Evaluation Report from a Product Evaluation Entity

**Evaluation Entity** ICC Evaluation Service, LLC Quality Assurance Entity ICC-ES Evaluation Service, LLC

Quality Assurance Contract Expiration Date 10/31/2024

Validated By ICC Evaluation Service, LLC.

FL17244\_R6\_COI\_Certification of Independence for Evaluation.pdf Certificate of Independence

Referenced Standard and Year (of Standard) **Standard** <u>Year</u>

> ANSI/AWC NDS 2018 **ASTM D7147** 2011

Equivalence of Product Standards

Certified By

Sections from the Code

Product Approval Method Method 1 Option C

Date Submitted 12/13/2023 Date Validated 12/15/2023

Date Pending FBC Approval

Date Approved 12/19/2023

FL#	Model, Number or Name	Description
17244.1	A3	A3 Framing Angle
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.2	AC5, AC7, AC9	AC Framing Angle
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: AC5 angle may not be used to resist uplift in HVHZ.		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.3	CMST12, CMST14	CMST Coil Strap
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.4	FWAN-TZ	FWAN Foundation Wall Angle
Impact Resistan Design Pressure Other: The FWAN	<b>e outside HVHZ:</b> Yes t <b>:</b> N/A	Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.5	HH44, HH66	HH Header Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244_R6_II_ESR-3455 exp_1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244_R6_AE_ESR-3455 exp_1024.pdf
17244.6	HTW16, HTW20, HTW24, HTW28, HTW30, HTW30C, MTW12, MTW1 MTW18, MTW20, MTW24C, MTW28C, MTW30, MTW30C	
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.7	JA1, JA3, JA5, JA7, JA9	JA Joist Angle
Limits of Use Approved for use in HVHZ: Yes		Installation Instructions FL17244_R6_II_ESR-3455 exp_1024.pdf

KHST2, KHST3, KHST5, KHST6  /HZ: Yes ide HVHZ: Yes  KRPS18, KRPS22, KRPS28  /HZ: Yes ide HVHZ: Yes  KSA36, KHSA1, KHSA2, KHSA3, KHSA4, KHSA5  /HZ: Yes ide HVHZ: Yes  KST116, KST29, KST213, KST216, KST218, KST224, KST234, KST227,	Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf  KRPS Strap Tie  Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf  KSA/KHSA Connector Strap  Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
VHZ: Yes ide HVHZ: Yes  KRPS18, KRPS22, KRPS28  VHZ: Yes ide HVHZ: Yes  KSA36, KHSA1, KHSA2, KHSA3, KHSA4, KHSA5  VHZ: Yes ide HVHZ: Yes  KST116, KST29, KST213, KST216,	Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf  KRPS Strap Tie  Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf  KSA/KHSA Connector Strap  Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
VHZ: Yes ide HVHZ: Yes  KSA36, KHSA1, KHSA2, KHSA3, KHSA4, KHSA5  VHZ: Yes ide HVHZ: Yes  KST116, KST29, KST213, KST216,	Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf  KSA/KHSA Connector Strap  Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
KSA36, KHSA1, KHSA2, KHSA3, KHSA4, KHSA5  VHZ: Yes ide HVHZ: Yes  KST116, KST29, KST213, KST216,	FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf  KSA/KHSA Connector Strap  Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
KHSA4, KHSA5  /HZ: Yes ide HVHZ: Yes  KST116, KST29, KST213, KST216,	Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
ide HVHZ: Yes  KST116, KST29, KST213, KST216,	FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
KST216, KST224, KST234, KST227, KST237, KST248, KST260, KST272, KST1226, KST1236, KST1248, KST1260, KST1272, LST149, LST173	KST/KSTI/LSTI Strap Tie
VHZ: Yes ide HVHZ: Yes be used to resist uplift in HVHZ.	Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244_R6_AE_ESR-3455 exp 1024.pdf
KVB5, KVB7, KVB8, KVB10, KVB12, KVBI5, KVBI7, KVBI8, KVBI10, KVBI12	KV/KVB/KVBI Knee Braces
VHZ: Yes ide HVHZ: Yes	Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
LFTA6	LFTA Strap Tie
VHZ: Yes ide HVHZ: Yes	Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
LSTA12, LSTA15, LSTA18, LSTA21, LSTA24, LSTA30, LSTA36, MSTA12, MSTA15, MSTA18, MSTA21, MSTA24, MSTA30, MSTA36, MSTA48	LSTA/MSTA Strap Tie
VHZ: Yes ide HVHZ: Yes	Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
LSTA9, MSTA9	LSTA/MSTA Strap Tie
·	Installation Instructions
	KST237, KST248, KST260, KST272, KST1226, KST1236, KST1248, KST1260, KST1272, LST149, LST173  /HZ: Yes de HVHZ: Yes be used to resist uplift in HVHZ.  KVB5, KVB7, KVB8, KVB10, KVB12, KVB15, KVB17, KVB18, KVBI10, KVB112  /HZ: Yes de HVHZ: Yes  LFTA6  /HZ: Yes de HVHZ: Yes  LSTA12, LSTA15, LSTA18, LSTA21, LSTA24, LSTA30, LSTA36, MSTA12, MSTA15, MSTA18, MSTA21, MSTA24, MSTA30, MSTA36, MSTA48  /HZ: Yes de HVHZ: Yes

Approved for use outside HVHZ: Yes Verified By: ICC Evaluation Service, LLC Impact Resistant: N/A Created by Independent Third Party: Design Pressure: N/A **Evaluation Reports** Other: HVHZ approved only when installed in lumber with FL17244 R6 AE ESR-3455 exp 1024.pdf specific gravity or 0.50 or greater. 17244.16 LTW12, LTW16, LTW18, LTW20 LTW Twist Strap Ties **Limits of Use Installation Instructions** Approved for use in HVHZ: Yes FL17244 R6 II ESR-3455 exp 1024.pdf Approved for use outside HVHZ: Yes Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Impact Resistant: N/A Design Pressure: N/A **Evaluation Reports** Other: HVHZ approved only for Stud-to-Rim Joist Installation FL17244 R6 AE ESR-3455 exp 1024.pdf 17244.17 ML24-TZ ML Angle Connector **Limits of Use Installation Instructions** Approved for use in HVHZ: No FL17244 R6 II ESR-3455 exp 1024.pdf Approved for use outside HVHZ: Yes Verified By: ICC Evaluation Service, LLC Impact Resistant: N/A Created by Independent Third Party: Design Pressure: N/A **Evaluation Reports** FL17244 R6 AE ESR-3455 exp 1024 pdf Other: 17244.18 ML26-TZ ML Angle Connector Limits of Use **Installation Instructions** Approved for use in HVHZ: Yes FL17244 R6 II ESR-3455 exp 1024.pdf Approved for use outside HVHZ: Yes Verified By: ICC Evaluation Service, LLC Impact Resistant: N/A Created by Independent Third Party: Design Pressure: N/A **Evaluation Reports** Other: FL17244 R6 AE ESR-3455 exp 1024.pdf 17244.19 MP3 MP Framing Angle **Limits of Use Installation Instructions** FL17244 R6 II ESR-3455 exp 1024.pdf Approved for use in HVHZ: No **Approved for use outside HVHZ:** Yes Verified By: ICC Evaluation Service, LLC Impact Resistant: N/A Created by Independent Third Party: Design Pressure: N/A **Evaluation Reports** Other: FL17244\_R6\_AE\_ESR-3455 exp 1024.pdf 17244.20 MP34, MPA1 MP/MPA Multi-Purpose Framing Angle **Limits of Use Installation Instructions** Approved for use in HVHZ: No FL17244 R6 II ESR-3455 exp 1024.pdf Approved for use outside HVHZ: Yes Verified By: ICC Evaluation Service, LLC Impact Resistant: N/A Created by Independent Third Party: Design Pressure: N/A **Evaluation Reports** FL17244 R6 AE ESR-3455 exp 1024.pdf Other: Page 1 / 2 Go to Page







Back Next

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: Privacy Statement :: Accessibility Statement :: Refund Statement

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click here.

**Product Approval Accepts:** 







Credit Card Safe securitymetrics<sup>,</sup>

Method 1 Option C Product Approval Method

Date Submitted 12/13/2023 Date Validated 12/15/2023

Date Pending FBC Approval

Date Approved 12/19/2023

## **Summary of Products**



FL#	Model, Number or Name	Description
17244.21	MP4F	MP_F Multi-Lateral Plate Tie
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: MP4F approved for use in HVHZ when installed in lumber with specific gravity of 0.50 or greater.		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.22	MP5, MP7, MP9	MP Framing Angle
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: MP5 approved for use in HVHZ when installed with 10d Common (0.148" x 3") nails only. MP5 & MP7 approved for use in HVHZ when installed in lumber with specific gravity of 0.50 or greater		ved
17244.23	MP6F	MP_F Multi-Lateral Plate Tie
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.24	MSTC28, MSTC40, MSTC52, MSTC66, MSTC78, CMSTC16	MSTC Strap Tie
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.25	RS22-R, RS300, RS20-R, RS25 RS100, RS18-R, RS200, RS15 RS16-R, RS14-100, RS14-R	
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244_R6_II_ESR-3455 exp_1024.pdf  Verified By: ICC Evaluation Service, LLC Created by Independent Third Party:  Evaluation Reports  FL17244_R6_AE_ESR-3455 exp_1024.pdf
17244.26	RSPT4, RSPT6	RSPT Stud Plate Tie
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.27	RSPT6-2	RSPT Stud Plate Tie
	T.	I .

Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17244 R6 II ESR-3455 exp 1024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.28	SPT22, SPT24, SPT44	SPT Stud-Plate Tie
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.29	SPT4, SPT6, SPT8, SPTH4, SPTH6, SPTH8, SPTHW4, SPTHW6	SPT/SPTH/SPTHW Stud Plate Tie
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.30	SPT4, SPT6, SPT8, SPTH4, SPTH6, SPTH8, SPTHW4, SPTHW6	SPT/SPTH/SPTHW Stud Plate Tie
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244_R6_II_ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244_R6_AE_ESR-3455 exp 1024.pdf
17244.31	SRC, SRCP	SRC/SRCP Sill Retrolift Connector
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
17244.32	ST9, ST12, ST18, ST22	ST Strap Tie
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions  FL17244 R6 II ESR-3455 exp 1024.pdf  Verified By: ICC Evaluation Service, LLC  Created by Independent Third Party:  Evaluation Reports  FL17244 R6 AE ESR-3455 exp 1024.pdf
Co to Page 2		Ø Ø Dans 2 / 2 Ø

Go to Page 2







Page 2 / 2





Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: Privacy Statement :: Accessibility Statement :: Refund Statement

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click here\_

**Product Approval Accepts:** 



